

Exempel

Beräkna

$$f'_z(1, 0, 2)$$

då

$$f(x, y, z) = \ln(1 + xy + z^2).$$

$$f(x, y, z) = \ln(1 + xy + z^2).$$

$$f(x, y, z) = \ln(1 + xy + z^2).$$

$$f'_z = \frac{1}{1 + xy + z^2} \cdot (2z)$$

$$f(x, y, z) = \ln(1 + xy + z^2).$$

$$f'_z = \frac{1}{1 + xy + z^2} \cdot (2z) = \frac{2z}{1 + xy + z^2},$$

$$f(x, y, z) = \ln(1 + xy + z^2).$$

$$f'_z = \frac{1}{1 + xy + z^2} \cdot (2z) = \frac{2z}{1 + xy + z^2},$$

$$f'_z(1, 0, 2) = \frac{2 \cdot 2}{1 + 1 \cdot 0 + 2^2}$$

$$f(x, y, z) = \ln(1 + xy + z^2).$$

$$f'_z = \frac{1}{1 + xy + z^2} \cdot (2z) = \frac{2z}{1 + xy + z^2},$$

$$f'_z(1, 0, 2) = \frac{2 \cdot 2}{1 + 1 \cdot 0 + 2^2} = \frac{4}{5}.$$