

Bestäm differentialen till

$$f(x, y, z) = x^2 + xz + \cos(yz).$$

$$f(x, y, z) = x^2 + xz + \cos(yz).$$

$$f(x, y, z) = x^2 + xz + \cos(yz).$$

$$\frac{\partial f}{\partial(x, y, z)} = \left(\frac{\partial f}{\partial x} \quad \frac{\partial f}{\partial y} \quad \frac{\partial f}{\partial z} \right)$$

$$f(x, y, z) = x^2 + xz + \cos(yz).$$

$$\frac{\partial f}{\partial(x, y, z)} = \left(\frac{\partial f}{\partial x} \quad \frac{\partial f}{\partial y} \quad \frac{\partial f}{\partial z} \right) = (2x + z \quad -z \sin(yz) \quad x - y \sin(yz)).$$

$$f(x, y, z) = x^2 + xz + \cos(yz).$$

$$\frac{\partial f}{\partial(x, y, z)} = \left(\frac{\partial f}{\partial x} \quad \frac{\partial f}{\partial y} \quad \frac{\partial f}{\partial z} \right) = (2x + z \quad -z \sin(yz) \quad x - y \sin(yz)).$$

$$df = \frac{\partial f}{\partial x} dx + \frac{\partial f}{\partial y} dy + \frac{\partial f}{\partial z} dz$$

$$f(x, y, z) = x^2 + xz + \cos(yz).$$

$$\frac{\partial f}{\partial(x, y, z)} = \left(\frac{\partial f}{\partial x} \quad \frac{\partial f}{\partial y} \quad \frac{\partial f}{\partial z} \right) = (2x + z \quad -z \sin(yz) \quad x - y \sin(yz)).$$

$$df = \frac{\partial f}{\partial x} dx + \frac{\partial f}{\partial y} dy + \frac{\partial f}{\partial z} dz$$

$$= (2x + z)dx - z \sin(yz)dy + (x - y \sin(yz))dz.$$